

Client's Name:   
 Project:   
 Address:

Date: 20.11.19  
 Prepared By: Paul Sutcliffe

Trade : Painting  
Trade Breakup  
0

	Allow for samples and prototypes as specified	1.00					\$ -	-
	Allow for compliance and inclusion of manufacturers' specifications as specified	1.00					\$ -	-
	Allow for submissions as specified	1.00					\$ -	-
	Allow for inspections as specified	1.00					\$ -	-
	Allow for compliance certifications and labelling where required as specified	1.00					\$ -	-
	Allow for warranties as specified	1.00					\$ -	-
	Allow for approved operation and maintenance manuals as specified	1.00					\$ -	-
	Allow for spares as specified	1.00					\$ -	-
	Allow for all necessary progressive clean-up of site to the Managing Contractor's requirements	1.00					\$ -	-
	Estimating project	1.00					\$ -	-
	Apply rates as required for the above items to each project.						\$ -	-
<b>Item no</b>	<b>Product</b>	<b>Qty</b>	<b># of units</b>	<b>Total</b>	<b>Unit</b>	<b>Rate</b>	<b>Total</b>	
	<b>CEILINGS &amp; BULKHEADS</b>	0				\$ -	\$ -	-
	Int : Villa Type A : Ceilings : Plasterboard	127.1	2	254.2	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Villa Type B : Ceilings : Plasterboard	126.1	1	126.1	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Villa Type G : Ceilings : Plasterboard	104.7	1	104.7	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type F-H : Ceilings : Plasterboard	220.2	2	440.3	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type D-I : Ceilings : Plasterboard	251.7	4	1007	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type B-H : Ceilings : Plasterboard	239	1	239	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type C-G : Ceilings : Plasterboard	227.9	1	227.9	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Villa Type A : Ceilings : Wet Area PB	17.36	2	34.72	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Villa Type B : Ceilings : Wet Area PB	17.23	1	17.23	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Villa Type G : Ceilings : Wet Area PB	15.69	1	15.69	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type F-H : Ceilings : Wet Area PB	35.54	2	71.08	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type D-I : Ceilings : Wet Area PB	34.82	4	139.3	SQ M	\$ -	\$ -	-
	Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -	-
	Finish: Dulux Flat	0		0		\$ -	\$ -	-
		0		0		\$ -	\$ -	-
	Int : Duplex Type B-H : Ceilings : Wet Area PB	34.52	1	34.52	SQ M	\$ -	\$ -	-

	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type C-G : Ceilings : Wet Area PB	32.8	1	32.8	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type A : PB Bulkheads 100-300mm	2.93	2	5.86	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type B : PB Bulkheads 100-300mm	2.05	1	2.05	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type G : PB Bulkheads 100-300mm	1.87	1	1.87	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type F-H : PB Bulkheads 100-300mm	5.76	2	11.52	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type D-I : PB Bulkheads 100-300mm	4.04	4	16.16	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type B-H : PB Bulkheads 100-300mm	4.2	1	4.2	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type C-G : PB Bulkheads 100-300mm	4.27	1	4.27	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Flat	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	<b>INTERNAL WALLS &amp; SKIRTING</b>	0		0	\$ -	\$ -
	Int : Villa Type A : Walls : Plasterboard @ 2.70m	310.8	2	621.7	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type B : Walls : Plasterboard @ 2.70m	309.4	1	309.4	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type G : Walls : Plasterboard @ 2.70m	251.4	1	251.4	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type F-H : Walls : Plasterboard @ 2.70m	574.6	2	1149	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type D-I : Walls : Plasterboard @ 2.70m	659.4	4	2638	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type B-H : Walls : Plasterboard @ 2.70m	613.9	1	613.9	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type C-G : Walls : Plasterboard @ 2.70m	557.8	1	557.8	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type A : Walls : PB Wet Area Walls @ 2.70m	23.31	2	46.62	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type B : Walls : PB Wet Area Walls @ 2.70m	25.04	1	25.04	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type G : Walls : PB Wet Area Walls @ 2.70m	22.89	1	22.89	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type F-H : Walls : PB Wet Area Walls @ 2.70m	54.4	2	108.8	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type D-I : Walls : PB Wet Area Walls @ 2.70m	55.44	4	221.8	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type B-H : Walls : PB Wet Area Walls @ 2.70m	50.11	1	50.11	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type C-G : Walls : PB Wet Area Walls @ 2.70m	49.55	1	49.55	SQ M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type A : Skirting : Timber Skirting Boards @ 100mm	115	2	230	M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type B : Skirting : Timber Skirting Boards @ 100mm	114	1	114	M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Villa Type G : Skirting : Timber Skirting Boards @ 100mm	93	1	93	M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type F-H : Skirting : Timber Skirting Boards @ 100mm	212	2	424	M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -
	Int : Duplex Type D-I : Skirting : Timber Skirting Boards @ 100mm	244	4	976	M	\$ -
	Prepare and apply one coat sealer and two coats of finish as specified	0		0	\$ -	\$ -
	Finish: Dulux Low-Sheen	0		0	\$ -	\$ -
		0		0	\$ -	\$ -



Int : Duplex Type F-H - Elevations : Garage Door Reveal 3000x2100	1	2	2	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type D-I - Elevations : Garage Door Reveal 3000x2100	1	4	4	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type B-H - Elevations : Garage Door Reveal 3000x2300	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type C-G - Elevations : Garage Door Reveal 3000x2100	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type A : Garage Door Reveal 4800x2100	1	2	2	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type B : Garage Door Reveal 4800x2100	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type G - Elevations : Garage Door Reveal 4800x2100	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type B-H - Elevations : Garage Door Reveal 4800x2100	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type C-G - Elevations : Garage Door Reveal 4800x2100	1	1	1	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type D-I - Elevations : Garage Door Reveal 4800x2100	1	4	4	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type F-H - Elevations : Garage Door Reveal 3000x2300	1	2	2	EA	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type A - Elevations : Timber Window Reveal (LIN)	43.96	2	87.92	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type B - Elevations : Timber Window Reveal (LIN)	44.97	1	44.97	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Villa Type G - Elevations : Timber Window Reveal (LIN)	40.17	1	40.17	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type B-H - Elevations : Timber Window Reveal (LIN)	91.45	1	91.45	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type C-G - Elevations : Timber Window Reveal (LIN)	98.3	1	98.3	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type D-I - Elevations : Timber Window Reveal (LIN)	105	4	420.1	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-
Int : Duplex Type F-H - Elevations : Timber Window Reveal (LIN)	93.3	2	186.6	M	\$	-	\$	-
Prepare and apply one coat sealer and two coats of finish as specified	0	0	0		\$	-	\$	-
Finish: Dulux Acrylic Enamel Gloss	0	0	0		\$	-	\$	-

<b>EXTERNAL WORKS</b>	0		0		\$ -	\$ -
Ext : Villa Type A : Ceilings : Plasterboard	25.75	2	51.5	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Flat	0		0		\$ -	\$ -
Ext : Duplex Type D-I : Ceilings : Plasterboard	21.72	4	86.88	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Flat	0		0		\$ -	\$ -
Ext : Duplex Type B-H : Ceilings : Plasterboard	36.29	1	36.29	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Flat	0		0		\$ -	\$ -
Ext : Villa Type A : Timber Columns 200x200x1,100mm	2.64	2	5.28	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux acrylic enamel Semi-gloss	0		0		\$ -	\$ -
Ext : Duplex Type F-H : Timber Columns 200x200x1,100mm	3.52	2	7.04	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux acrylic enamel Semi-gloss	0		0		\$ -	\$ -
Ext : Villa Type A : Timber Beam @ 500mm (LIN)	17.09	2	34.18	M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Acrylic Enamel Gloss	0		0		\$ -	\$ -
Ext : Duplex Type F-H : Timber Beam @ 500mm (LIN)	18.45	2	36.9	M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Acrylic Enamel Gloss	0		0		\$ -	\$ -
Ext : Villa Type A : FC Soffits	31.11	2	62.22	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Villa Type B : FC Soffits	50.46	1	50.46	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Villa Type G : FC Soffits	50.08	1	50.08	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Duplex Type F-H : FC Soffits	90.73	2	181.5	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Duplex Type D-I : FC Soffits	76.67	4	306.7	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Duplex Type B-H : FC Soffits	56.52	1	56.52	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Duplex Type C-G : FC Soffits	104.7	1	104.7	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Low-Sheen	0		0		\$ -	\$ -
Ext : Villa Type B - Elevations : Walls : Acrylic Render Type 1 'RDR1'	7.74	1	7.74	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Timeless Grey'	0		0		\$ -	\$ -
Ext : Duplex Type F-H - Elevations : Walls : Acrylic Render Type 1 'RDR1'	17.27	2	34.54	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Timeless Grey'	0		0		\$ -	\$ -
Ext : Duplex Type D-I - Elevations : Walls : Acrylic Render Type 1 'RDR1'	14.2	4	56.8	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Timeless Grey'	0		0		\$ -	\$ -
Ext : Duplex Type B-H - Elevations : Walls : Acrylic Render Type 1 'RDR1'	19.57	1	19.57	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Timeless Grey'	0		0		\$ -	\$ -
Ext : Duplex Type C-G - Elevations : Walls : Acrylic Render Type 1 'RDR1'	34	1	34	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Timeless Grey'	0		0		\$ -	\$ -
Ext : Villa Type B - Elevations : Walls : Acrylic Render Type 2 'RDR2'	14.81	1	14.81	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	0		0		\$ -	\$ -
Ext : Villa Type G - Elevations : Walls : Acrylic Render Type 2 'RDR2'	12.59	1	12.59	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	0		0		\$ -	\$ -
Ext : Duplex Type D-I - Elevations : Walls : Acrylic Render Type 2 'RDR2'	23.49	4	93.96	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	0		0		\$ -	\$ -
Ext : Duplex Type B-H - Elevations : Walls : Acrylic Render Type 2 'RDR2'	30.09	1	30.09	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	0		0		\$ -	\$ -
Ext : Duplex Type C-G - Elevations : Walls : Acrylic Render Type 2 'RDR2'	28.46	1	28.46	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	0		0		\$ -	\$ -
Ext : Villa Type B - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1'	24.88	1	24.88	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	0		0		\$ -	\$ -
Ext : Villa Type G - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1'	28.97	1	28.97	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	0		0		\$ -	\$ -
Ext : Duplex Type B-H - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1'	24.15	1	24.15	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	0		0		\$ -	\$ -
Ext : Duplex Type C-G - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1'	37.67	1	37.67	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	0		0		\$ -	\$ -
Ext : Duplex Type D-I - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1'	28.65	4	114.6	SQ M	\$ -	\$ -
Prepare and apply one coat sealer and two coats of finish as specified	0		0		\$ -	\$ -
Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	0		0		\$ -	\$ -
	0		0		\$ -	\$ -

	Ext : Duplex Type F-H - Elevations : Walls : Lightweight Linea 150mm Cladding 'LWC1' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Bretz - SN4E6'	17.43	2	34.86	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Villa Type A - Elevations : Walls : Lightweight Matrix Cladding 'LWC2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Colorbond Basalt'	28.93	2	57.86	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type B-H - Elevations : Walls : Lightweight Matrix Cladding 'LWC2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Colorbond Basalt'	31.77	1	31.77	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type D-I - Elevations : Walls : Lightweight Matrix Cladding 'LWC2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Colorbond Basalt'	13.58	4	54.32	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type F-H - Elevations : Walls : Lightweight Matrix Cladding 'LWC2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Colorbond Basalt'	34.07	2	68.14	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Villa Type B : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	6.24	1	6.24	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Villa Type G : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	6.37	1	6.37	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type F-H : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	7.04	2	14.08	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type C-G : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	12.62	1	12.62	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type D-I : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	11.97	4	47.88	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type B-H : U/side Rendered Beams 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Low-Sheen	12.56	1	12.56	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
	Ext : Duplex Type F-H - Elevations : Walls : Acrylic Render Type 2 'RDR2' Prepare and apply one coat sealer and two coats of finish as specified Finish: Dulux Weathershield Low-Sheen 'Lexicon Quarter'	14.44	2	28.88	SQ M	\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
		0		0		\$ -	\$ -
							\$ -
Item no	Product	Qty		Unit	Rate	Total	
	<b>Additional Items</b>	<b>Qty</b>		<b>Unit</b>	<b>Rate</b>	<b>Total</b>	
	Supervision	1			\$ -	\$ -	
	Mobile Scaffolding	1			\$ -	\$ -	
	Administration	1			\$ -	\$ -	
	Set Up Cost	1			\$ -	\$ -	
	Buffer	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
	Tools	1			\$ -	\$ -	
		1			\$ -	\$ -	

Copy the below to your Quotation page if required.

**Included items as specified.**

Painting of Plasterboard Ceilings, as detailed on RCPs.  
 Painting of Wet Area PB Ceilings, as detailed on RCPs.  
 Painting of PB Bulkheads, as detailed on RCPs.  
 Painting of Plasterboard Walls, as detailed on Floor Plans.  
 Painting of Wet Area PB Walls, as detailed on Floor Plans.  
 Painting of Timber Skirting Boards, as detailed on Floor Plans.  
 Painting of Timber Doors & Frames, as detailed on Floor Plans.  
 Painting of Wardrobe Frames, as detailed on Floor Plans.  
 Painting of Timber Window Reveals, as detailed on Elevations.  
 Painting of Garage Door Reveals, as detailed on Elevations.  
 Painting of Timber Columns, as detailed on Floor Plans.  
 Painting of Timber Beams, as detailed on Floor Plans.  
 Painting of FC Soffits, as detailed on RCP's.  
 Painting of Rendered Walls 'RDR1 & RDR2', as detailed on Elevations.  
 Painting of Light Weight Linea Cladding 'LWC1', as detailed on Elevations.  
 Painting of Light Weight Matrix Cladding 'LWC2', as detailed on Elevations.  
 Painting of Rendered Beams 'RDR2', as detailed on RCP's.

**Excluded items.**

Painting of any Facebrick 'FB', left natural.  
 Painting of any Floor/Wall Tiles, pre-finished.  
 Painting of any Garage Doors, pre-finished.  
 Painting of any Aluminium Privacy Screens, pre-finished.  
 Painting of any Aluminium Louvres, pre-finished.  
 Painting of any Skylights, pre-finished.  
 Painting of any Retaining Walls, no details provided.  
 Painting of any Timber Fencing, not specified for painting.  
 Making good for other trades.  
 Any painting of joinery works.  
 Any clear finish to timber flooring.  
 Painting of any ceiling access hatches.  
 Any items not mentioned in the above includes section.  
 Builder to supply any external scaffolding requirements.

**DISCLAIMER**

This Bill of Quantities document has been prepared to assist Tenderers in the preparation of their Tenders. Whilst every care has been taken in the preparation of this document NO GUARANTEES are given or implied by the PAINTING ESTIMATING AUSTRALIA as to the correctness and / or completeness of the stated quantities and / or description of the measured works.  
 This document forms no part of a Contract and shall not form the basis of any claim or variation to the Contract whatsoever including any errors, omissions or anomalies in either description, quantity or method of measurement  
 Tenderers are to fully review all documents and make their own assessment of the full scope of the works and allow accordingly in their Tender Sum submitted.